

US MSRP PRICES

Effective 04/01/2022

ATTENTION: CYNAP, CYNAP Pro, CYNAP Core Pro, CYNAP Pure Pro and CYNAP Pure Receiver available from Premium Partners ONLY!

Item #	Product Description	MSRP
--------	---------------------	------

DESKTOP VISUALIZER

102023	Visualizer vSolution Cam	1/3" 1-CMOS Progressive Scan camera with 13,2 Megapixels (converted 1080p high definition output resolution), sRGB colour precision, 980 lines resolution (Ø), 10x Zoom (4x HD-Zoom + 6x digital), real time motion (30 fps), high speed auto focus, 1 image freeze, firmware upgradeable through LAN and USB 2.0, Kensington® lock Output signals widescreen (16:9): 1080p, 720p HD Outputs: HDMI, USB 2.0, Ethernet/LAN	\$ 1,890
102031-A0	Visualizer VZ-3neo.UHD - Version A (with base plate)	1/2.8" 1-CMOS Progressive Scan camera with 3840x2160 pixels (native 4K UHD resolution), sRGB colour precision, 1400 lines, 12x zoom (6x optical + 2x digital), real time motion (30 fps@UHD resolution), integrated touchscreen LCD control & preview monitor, high speed auto focus, 9-point touch & focus, 8GB internal memory, USB-host for external memory, recording and streaming of content, control and firmware updates through USB and Ethernet/LAN, built-in digital scaler for HDMI-input, 3 programmable presets, reflection free working surface, Kensington® lock Output signals widescreen (16:9): 720p, 1080p, 4K UHD Outputs: HDMI, USB 3.0, Ethernet/LAN	\$ 3,080
102031-B0	Visualizer VZ-3neo.UHD - Version B (with swivel plate)	Same functions as VZ-3neo.UHD (Version A), but with swivel plate instead of base plate, for fixed installation and easy storage (90° rotation clockwise or counter-clockwise, depending on installation)	\$ 3,290
102032-A0	Visualizer VZ-8neo.UHD - Version A (with base plate)	1/2.8" 1-CMOS Progressive Scan camera with 3840x2160 pixels (native 4K UHD resolution), sRGB colour precision, 1400 lines, 24x zoom (12x optical + 2x digital), high frame rate of 60 fps, integrated touchscreen LCD control & preview monitor, high speed auto focus, 9-point touch & focus, 8GB internal memory, USB-host for external memory, recording and streaming of content, control and firm-ware updates through USB and Ethernet/LAN, optional IR-remote control, built-in digital scaler for HDMI-input, 3 programmable presets, reflection free working surface, Kensington® lock Output signals widescreen (16:9): 720p, 1080p, 4K UHD Outputs: HDMI, USB 3.0, Ethernet/LAN	\$ 4,100
102032-B0	Visualizer VZ-8neo.UHD - Version B (with swivel plate)	Same functions as VZ-8neo.UHD (Version A), but with swivel plate instead of base plate, for fixed installation and easy storage (90° rotation clockwise or counter-clockwise, depending on installation)	\$ 4,290
102026	Visualizer VZ-8.UHD - Version A (HDMI)	1/1.8" 1-CMOS Progressive Scan camera with 3840x2160 pixels (native 4K UHD resolution), sRGB colour precision, 1600 lines, 64x zoom (16x optical + 4x digital), high frame rate of 60 fps, integrated touchscreen LCD control & preview monitor, high speed auto focus, 9-point touch & focus, 8GB internal memory, USB-host for external memory, recording and streaming of content, control and firmware updates through USB and Ethernet/LAN, optional IR-remote control, built-in digital scaler for HDMI-inputs, 3 programmable presets, reflection free working surface, tilt range of camera: 90° (to audience), Kensington® lock Output signals widescreen (16:9): 720p, 1080p, 4K UHD Outputs: HDMI, USB 3.0, Ethernet/LAN	\$ 4,100
102026	Visualizer VZ-8.UHD - Version B (HDMI / HDBaseT OUT)	Same functions as VZ-8.UHD, Version A plus additional HDBaseT-output module, HDBaseT 2.0	\$ 4,750

CEILING VISUALIZER

102014	Visualizer VZ-C6	1/3" 1-CMOS Progressive Scan camera with 1920x1080 pixels (native 1080p high definition resolution), sRGB colour precision, 980 lines, 48x zoom (12x optical + 4x digital), real time motion (30 fps), high depth of focus, mounted in or on the ceiling, 8GB internal memory, USB-host for external memory, synchronized light field with maintenance free high-power LED illumination, illumination of hollow objects, recording, playback and streaming of video and audio content, control and	\$ 10,780
--------	-------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------

		firmware updates through USB 2.0 and Ethernet/LAN, IR-remote control, built-in digital scaler for HDMI-input, Line In Output signals (4:3): UXGA, SXGA, XGA, SVGA Output signals widescreen (16:9/16:10): 1080p HD, 720p HD, WUXGA, WXGA Outputs: RGB, HDMI, USB 2.0, Ethernet/LAN, Line Out	
102015	Visualizer VZ-C3D	Stereoscopic 2x 1/3" 1-CMOS Progressive Scan camera with 1920x1080 pixels (native 1080p high definition resolution), sRGB colour precision, 980 lines, 60x zoom (15x optical + 4x digital), real time motion (30 fps), extremely high depth of focus, mounted in or on the ceiling, synchronized light field with maintenance free high-power LED illumination, illumination of hollow objects, upgradeable firmware through Ethernet/LAN, IR-remote control with laser pointer, external IR-receiver Output signals widescreen (16:9): 1080p HD (1920x1080) in 2D/3D mode Outputs: 2x HDMI, Ethernet/LAN	\$ 32,380

STAND-ALONE AND CEILING CAMERA

102017	Camera EYE-14	1/3" 1-CMOS Progressive Scan camera with 1920x1080 pixels (native 1080p high definition resolution), sRGB colour precision, 980 lines, real time motion (30 fps), 56x zoom (14x optical + 4x digital), manual and auto focus, manual and auto iris, 8GB internal memory, USB-host for external memory, recording, playback and streaming of video and audio content, control and firmware updates through USB 2.0 and Ethernet/LAN, IR-remote control, Line In, Kensington® Lock Output signals (4:3): UXGA, SXGA, XGA, SVGA Output signals widescreen (16:9/16:10): 1080p HD, 720p HD, WUXGA, WXGA Outputs: RGB, HDMI, USB 2.0, Ethernet/LAN, Line Out	\$ 5,330
--------	----------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------

PRESENTATION AND COLLABORATION SYSTEMS

102033-01	Cynap Pure Mini	Intel Pentium-Processor with Linux Embedded operating system, 4GB RAM, inbuilt WLAN, BYOD-Mirroring for iOS, Android and Windows, support for WolfVision vSolution Cast and vSolution App, control through Ethernet/LAN/WLAN (Browser based HTML5 and protocol), firmware updates through USB, Ethernet/LAN and vSolution Link PRO, Kensington® Lock Output signals Widescreen (16:9): 2160p60 UHD, 2160p30 UHD, 1080p60 FullHD, 1080p30 FullHD, 720p60 HD Outputs: HDMI 2.0, USB 3.0, Ethernet/LAN	\$ 875
102025	Cynap Pure	Intel i3-Processor with Linux Embedded operating system, 4GB RAM, inbuilt WLAN, BYOD-Mirroring for iOS, Android and Windows, support for WolfVision vSolution Cast and vSolution App, control through Ethernet/LAN/WLAN (Browser based HTML5 and protocol), firmware updates through USB, Ethernet/LAN and vSolution Link PRO, Kensington® Lock Output signals Widescreen (16:9): 2160p60 UHD, 2160p30 UHD, 1080p60 FullHD, 1080p30 FullHD, 720p60 HD Outputs: HDMI 2.0, USB 3.0, Ethernet/LAN	\$ 1,510
102027	Cynap Pure Pro	Intel i3 8th generation-Processor with Linux Embedded operating system, 4GB memory, control through Ethernet/LAN/WLAN (Browser based HTML5 and protocol), BYOD-Mirroring for MacOS, iOS, Android and Windows, document and mediaplayer, Web conferencing, playback of video and audio, USB/UVC/UAC and Streaming inputs, Visualizer-integration (control and image), support for vSolution Cast and vSolution App, firmware updates through USB, Ethernet/LAN and vSolution Link PRO Interfaces: Ethernet/LAN, USB 3.0 supporting UAC/UVC, inbuilt WLAN supporting infrastructure and access point mode, Kensington® Lock, HDMI-output Output signals Widescreen (16:9): 2160p60 UHD, 2160p30 UHD, 1080p60 FullHD, 1080p30 FullHD, 720p60 HD	\$ 2,070
102029	Cynap Core Pro	Intel i3 7th generation-Processor with Linux Embedded operating system, 8GB memory, 120GB SSD, control through Ethernet/LAN/WLAN (Browser based HTML5 and protocol), BYOD-Mirroring for MacOS, iOS, Android and Windows, document and mediaplayer, Office365 web applications, Web conferencing, playback of video and audio, USB/UVC/UAC and Streaming inputs, Visualizer-integration (control and image), support for WolfVision vSolution Matrix, vSolution Cast and vSolution App, firmware updates through USB, Ethernet/LAN and vSolution Link PRO Interfaces: 2xEthernet/LAN, USB 2.0, USB 3.0 supporting UAC/UVC, inbuilt WLAN supporting infrastructure and access point mode, Audio Line In/Out, Kensington® Lock, HDMI-output, HDMI-input Output signals Widescreen (16:9): 2160p30 UHD, 1080p60 FullHD, 1080p30 FullHD, 720p60 HD	\$ 3,190
102019	Cynap - Version A (HDMI)	Intel i5-Processor with Linux Embedded operating system, 8GB memory, 120GB SSD, integrated user interface and status display, control through Ethernet/LAN/WLAN (Browser based HTML5 and protocol), BYOD-Mirroring for MacOS, iOS, Android and Windows, document and mediaplayer, Office365 web applications, Web conferencing, playback of video and audio, local recording and lecture capture recording, local streaming and webcasting, USB/UVC/UAC and Streaming inputs, Visualizer-integration (control and image), support for WolfVision vSolution Matrix, vSolution	\$ 7,530

		Cast and vSolution App, firmware updates through USB, Ethernet/LAN and vSolution Link PRO, RF-remote with gyro-sensor Interfaces: 2xEthernet/LAN, USB 2.0, USB 3.0 supporting UAC/UVC, inbuilt WLAN supporting infrastructure and access point mode, Audio Line In/Out, Kensington® Lock, 2xHDMI-outputs, 2XHDMI-inputs Output signals Widescreen (16:9): 2160p60 UHD, 2160p30 UHD, 1080p60 FullHD, 1080p30 FullHD	
102019	Cynap - Version B (HDMI / HDBaseT IN)	Same functions as Cynap, Version A plus additional HDBaseT-input module (replaces one HDMI-input), HDBaseT 1.0	\$ 8,200
102019	Cynap - Version C (HDMI / HDBaseT OUT)	Same functions as Cynap, Version A plus additional HDBaseT-output module (replaces one HDMI-output), HDBaseT 1.0	\$ 8,200
102019	Cynap - Version D (HDMI / HDBaseT IN & OUT)	Same functions as Cynap, Version A plus additional HDBaseT-in- and output module (replaces one HDMI-in- and HDMI-output), HDBaseT 1.0	\$ 8,870
102030-A1	Cynap Pro - Version A (HDMI)	Intel Processor with Linux Embedded operating system, 8GB memory, 120GB SSD, control through Ethernet/LAN/WLAN (Browser based HTML5 and protocol), BYOD-Mirroring for MacOS, iOS, Android and Windows, document and mediaplayer, Office365 web applications, Web conferencing, playback of video and audio, local recording and lecture capture recording, local streaming and webcasting, USB/UVC/UAC and Streaming inputs, Visualizer- integration (control and image), support for WolfVision vSolution Matrix (optional featurepack), vSolution Cast and vSolution App, firmware updates through USB, Ethernet/LAN and vSolution Link PRO, Voucher for RF-remote with gyro-sensor Interfaces: 2xEthernet/LAN, USB 2.0, USB 3.0 supporting UAC/UVC, inbuilt WLAN supporting infrastructure and access point mode, Audio Line In/Out, Kensington® Lock, 3xHDMI-outputs, 2XHDMI-inputs. 19" case with detachable mounting brackets for rackmount or standalone Output signals Widescreen (16:9): 2160p60 UHD, 2160p30 UHD, 1080p60 FullHD, 1080p30 FullHD	\$ 7,530
102030-B1	Cynap Pro - Version B (HDMI / HDBaseT IN)	Same functions as Cynap Pro, Version A plus additional HDBaseT-input module (replaces one HDMI-input), HDBaseT 1.0	\$ 8,200
102030-C1	Cynap Pro - Version C (HDMI / HDBaseT OUT)	Same functions as Cynap Pro, Version A plus additional HDBaseT-output module (replaces one HDMI-output), HDBaseT 1.0	\$ 8,200
102030-D1	Cynap Pro - Version D (HDMI / HDBaseT IN & OUT)	Same functions as Cynap Pro, Version A plus additional HDBaseT-output module (replaces one HDMI-output), HDBaseT 1.0	\$ 8,870

ACCESSORIES AND FEATURE PACKS VISUALIZER

102499	Security Pack	Disables: Snapshots, video recording and freeze function on VZ-C6 and EYE-14	\$ 215
100999	Lightbox LB-9	Lightbox, 300 x 210mm (11.8" x 8.3") light field, 14mm (0.55") high, colour temperature 3200K, maximum of grey scale and true colours, especially for x-rays and oversized slides. Not needed for transparencies.	\$ 335
101000	Lightbox LB-38	X-large light box, 430 x 359mm (16.9" x 14.1") light field, only 14mm (0.55") high, colour temperature 3200K, maximum of grey scale and true colours, especially for x-rays and oversized slides. Not needed for transparencies	\$ 985
102351	Adapter RS232-LAN	Interface Adapter RS232-LAN	\$ 215
100303	External IR-Receiver	Extension cable for all ceiling cameras mounted in the ceiling, but still need to be controlled via the IR remote control	\$ 86
116074	Dry-Erase Working Surface	for VZ-neo.UHD Series (2 piece pack)	\$ 52

114762	Dry-Erase Working Surface	for VZ-8.UHD (2 piece pack)	\$ 52
105439.01	Dry-Erase Working Surface	for Ceiling Series and EYE-14 / 430 x 320 mm / 16.9 x 12.6" (2 piece pack)	\$ 52
111333	Dry-Erase Working Surface	XXL 920 x 520 mm / 36.2 x 20.5" (1 piece pack)	\$ 160
111332	Dry-Erase Working Surface	XXL 920 x 520 mm / 36.2 x 20.5" (5 piece pack)	\$ 375
111502	Tile Bridge	for EYE-14 for suspended ceiling or sheetrock	\$ 315
101700	Working Plate	for EYE-14 (inclined)	\$ 250
102267	Riser Plate	Optional Riser Plate for increasing camera pick-up area of vSolution Cam, and for fixed mounting onto a table	\$ 125
102301	Trimring	for VZ-C6 for use in drop-ceiling	\$ 280

ACCESSORIES CYNAP PURE MINI

102778	Remote Control	Optional remote control for Cynap Pure Mini	\$ 81
--------	----------------	---------------------------------------------	-------

ACCESSORIES CYNAP PURE

102778	Remote Control	Optional remote control for Cynap Pure	\$ 81
--------	----------------	----------------------------------------	-------

ACCESSORIES AND FEATURE PACKS CYNAP PURE PRO

102248	Microsoft 365 Pack for Cynap Pure Pro	Optional package to upgrade functionality of Cynap Pure Pro to access the main Microsoft 365 Online Apps (license key only)	\$ 295
102778	Remote Control	Optional remote control for Cynap Pure Pro	\$ 81

ACCESSORIES AND FEATURE PACKS CYNAP CORE PRO

102234	Lecture Capture Pack for Cynap Core Pro	Optional package to upgrade functionality of Cynap Core Pro with Capture Agent for LMS (license key only)	\$ 615
102263	Vesa Mount for Cynap Core Pro	Optional VESA mount for Cynap Core Pro	\$ 38
1131	19" Single shelf rack for Cynap Core Pro	Shelf secured, 2RU, Antennas extension incl.	\$ 300
1132	19" Dual shelf rack for Cynap Core Pro	Shelf secured, 2RU, Antennas extension incl.	\$ 410
102778	Remote Control	Optional remote control for Cynap Core Pro	\$ 81

ACCESSORIES AND FEATURE PACKS CYNAP / CYNAP PRO

Cynap Pure Receiver available in combination with vSolution Matrix Pack only.

102261	vSolution Matrix Pack for Cynap	Optional package to upgrade functionality of Cynap for configuring and controlling Active Learning Spaces (license key only)	\$ 2,540
102230	vSolution Matrix Pack for Cynap Pro	Optional package to upgrade functionality of Cynap Pro for configuring and controlling Active Learning Spaces (license key only)	\$ 2,540
102035-01	Cynap Pure Receiver	Intel i3-Processor with Linux Embedded operating system, 4GB memory, control through Ethernet/LAN/WLAN (Browser based HTML5 and protocol), support for WolfVision vSolution Matrix as a streaming decoder and collaboration unit, firmware	\$ 1,510

		updates through USB, Ethernet/LAN and vSolution Link Pro Interfaces: Ethernet/LAN, USB 3.0 supporting HID inputs, inbuilt WLAN supporting infrastructure mode, Kensington® Lock, HDMI-output Output signals Widescreen (16:9): 2160p60 UHD, 2160p30 UHD, 1080p60 FullHD, 1080p30 FullHD, 720p60 HD	
102294	Mounting Frame for Cynap 19"	Optional 19" rack mounting frame for Cynap. Also works for under desk mount.	\$ 255

EXTENDED WARRANTY CYNAP SERIES

Standard warranty is 3 years. Processor CPU and hard disk SSD warranties are limited to 1 year.
Option of purchasing an extension of warranty for 2 additional years (total warranty of 5 years).
Extension needs to be ordered at the time of ordering the Cynap system or max. two months later.

999080	Cynap Pure Mini	Extension for two additional calendar years	\$ 175
999073	Cynap Pure	Extension for two additional calendar years	\$ 302
999079	Cynap Pure Receiver	Extension for two additional calendar years	\$ 302
999074	Cynap Pure Pro	Extension for two additional calendar years	\$ 414
999081	Cynap Core Pro	Extension for two additional calendar years	\$ 638
999082	Cynap - Version A	Extension for two additional calendar years	\$ 1,506
999082	Cynap - Version B	Extension for two additional calendar years	\$ 1,639
999082	Cynap - Version C	Extension for two additional calendar years	\$ 1,639
999082	Cynap - Version D	Extension for two additional calendar years	\$ 1,773
999078	Cynap Pro - Version A	Extension for two additional calendar years	\$ 1,506
999078	Cynap Pro - Version B	Extension for two additional calendar years	\$ 1,639
999078	Cynap Pro - Version C	Extension for two additional calendar years	\$ 1,639
999078	Cynap Pro - Version D	Extension for two additional calendar years	\$ 1,773

COMMISSIONING SERVICES

Professional on-site setup/configuration service for Cynap systems. Includes on-site or remote support for setting up and configuring WolfVision products. Support does not include the physical installation of equipment.
Any travelling expenses will be charged on a time and materials basis.

999069	Commissioning Services	per half-day (4 hours)	\$ 1,075
999070	Commissioning Services	per day	\$ 2,150

Warranty

Visualizer and Camera

Standard warranty is 5 years.

Cynap, Cynap Pro and Cynap Core Pro

Standard warranty is 3 years. Processor CPU and hard disk SSD warranties are limited to 1 year. Refer to extended warranty above.

Cynap Pure Series

Standard warranty is 3 years. Hard disk SSD warranty is limited to 1 year. Refer to extended warranty above.