



AMK Innovations, Inc.

List & Map Price Sheet
Effective January, 2024

12407 Mukilteo Speedway, Ste. 130,
Lynnwood, WA 98087
(206) 718-2885
amkspeakers.com
info@amkspeakers.com

Table of Contents

Terms and Conditions		3
DS Series	Dante network enabled self amplified speakers	4
Self Amplified Speaker Model Number Suffixes		5
PSA615 Series	Self amplified coaxial speaker assemblies w/ 6.5" Coaxial Speaker	6
QSA615 Series	Self amplified quad system speaker assemblies (Set of 4 speakers) w/ 6.5" Coaxial Speaker	8
PSA802 Series	Self amplified coaxial speaker assemblies w/ 8" Coaxial Speaker	9

Terms and Conditions of Sale

Limited warranty: Products manufactured by AMK Innovations are warranted to the original purchaser to be free from defects in material and workmanship. This warranty shall be in effect for a period of one year for amplified speakers and DS series beginning with date of purchase. This warranty is null and void for any products which have defects caused by improper use, storage or installation. Retain original invoice as proof of purchase. Any products returned under warranty must follow our return policy indicated below.

Return policy: AMK Innovations will not accept any returned merchandise without prior authorization. Any product returned to AMK Innovations without prior authorization will be placed in the hands of the carrier at the expense of the shipper. Product will be authorized for return for the following reasons:

- Claims covered under our limited warranty.
- Errors in shipment created by AMK Innovations.
- Any other returns as may be approved by AMK Innovations will be subject to a 35% restocking charge, since most of the products are made to order. All returns should be properly packed and labeled with shipping prepaid.

Orders: All purchase orders can be placed via email, orders@amkspeakers.com

Specials and custom designs: All orders for non-standard product, built specifically to customer specification or for special needs, are non-cancelable and non-returnable (except for warranty claims).

Loss or damage in transit: It is the purchaser's responsibility to carefully inspect shipments upon arrival. If a damage is found, make a notation to that effect on the copies of the freight bill. When damage is found after the carrier has delivered, immediately notify the carrier (this must be done within 15 days of the delivery date). Hold all product and cartons and request the carrier inspect the damage. A written claim must be filed within 9 months of the delivery date. AMK is not responsible for and will not accept return of any material damaged in transit.

Terms: 2% 10 days, NET 30. 2% prompt pay discount applies to product only and does not apply to orders paid with a credit card.

Discounts: Indicated prices are net to our dealers with NET30. No other discounts are available. Models may not be mixed to obtain direct net quantity discounts except where noted.

Delays in shipment: AMK Innovations makes every effort to inventory product to cover customer needs. We cannot be held responsible for delays in shipment caused by supplier problems, shortages of material, sabotage, work stoppages, transportation delays, adverse weather conditions and other conditions beyond our control.

Where to send inquiries: The inquiries and special quotations can be sent to Email: sales@amkspeaker.com

Credit card orders: AMK accepts Visa, Master, and American Express.

Open credit accounts: All open credit accounts must first be approved by the credit department of AMK Innovations, Inc.

The terms and conditions are subject to change at anytime.

Dante & AES67 enabled IP addressable speaker package

Network powered speakers
Dante™ and AES67 Enabled Network Audio




6" Coaxial Loudspeaker (CX602)

Model	Prior model number(s)	Description	Channels	List	MAP
DS64	DS64-B, DS64-B-X, DS64-C, DS64-C-X	1 powered and 3 passive speakers set	4	\$2,436	\$1,827
DS64-S	Same as above except it comes with retro fit mounting ring instead of tile bridge for hard lid ceilings.		4	\$2,436	\$1,827
DS62	DS62-A, DS62-A-X, DS62-B, DS62-B-X	1 powered and 1 passive speaker set	2	\$1,844	\$1,384
DS62-S	Same as above except it comes with retro fit mounting ring instead of tile bridge for hard lid ceilings.		2	\$1,844	\$1,384
DS61	DS61-A, DS61-A-X	Single IP addressable Speaker.	1	\$1,216	\$912
DS61-S	Same as above except it comes with retro fit mounting ring instead of tile bridge for hard lid ceilings.		1	\$1,216	\$912

8" Coaxial Loudspeaker (CX802)

Model	Prior model number(s)	Description	Channels	List	MAP
DS84	DS84-B, DS84-B-X, DS84-C, DS84-C-X	1 powered and 3 passive speakers set	4	\$2,475	\$1,856
DS84-S	Same as above except it comes with retro fit mounting ring instead of tile bridge for hard lid ceilings.		4	\$2,475	\$1,856
DS82	DS82-A, DS82-A-X, DS82-B, DS82-B-X	1 powered and 1 passive speaker set	2	\$1,888	\$1,415
DS82-S	Same as above except it comes with retro fit mounting ring instead of tile bridge for hard lid ceilings.		2	\$1,888	\$1,415
DS81	DS81-A, DS81-A-X	Single IP addressable Speaker.	1	\$1,254	\$941
DS81-S	Same as above except it comes with retro fit mounting ring instead of tile bridge for hard lid ceilings.		1	\$1,254	\$941



Self Amplified Speaker Model Number Suffixes:

PSA615 – 6.5” Coaxial speaker (Single, Powered)

QSA615 – 6.5” Coaxial speaker (Set of 4 speakers, 1 self-amplified with 3 companion spkrs)

PSA802 – 8” Coaxial speaker (Single, Powered)

QSA802 – 8” Coaxial speaker (Set of 4 speakers, 1 self-amplified with 3 companion spkrs)

“-RVC” at the end or before –P means it comes with the remote volume control.

“-P” at the end of the model numbers means it comes as a pair, 1 self-amplified with 1 companion speaker

Model Suffix	Power Supply	Input Connection	Audio Signal Input
SM	A	Two RCA phono jacks	Stereo to Mono unbalanced
OM	A	One RCA phono jack	One unbalanced input
RPS	B	Two RCA phono jacks	Stereo to Mono unbalanced
RPM	B	One RCA phono jack	One unbalanced input
MD	B	One 3.5mm stereo mini plug	Unbalanced stereo combined into mono
MD-2	B	Two 3.5mm stereo mini plugs	Unbalanced stereo combined into mono
JFS	A	3.81mm four position phoenix type connector	Stereo to mono unbalanced
JFM	A	3.81mm three position phoenix type connector	One balanced input
CFS	B	3.81mm four position phoenix type connector	Stereo to mono unbalanced
CFM	B	(1) 3.81mm three position phoenix type connector	One balanced input
CFM-2	B	(2) 3.81mm three position phoenix type connectors	Two balanced inputs
CFM-3	B	(3) 3.81mm three position phoenix type connectors	Three balanced inputs
CFM-4	B	(4) 3.81mm three position phoenix type connectors	Four balanced inputs

A: External 12V 1.5A power supply with 2.5mm N Jack input Molded in line power supply type

B: External 12V 1.5A power supply with 3.81mm two position phoenix type connector input, wall wart, screw mount type.

Ex:

QSA would mean set of 4 speakers, PSA is single or pair of speaker set.

Type of a speaker, 615 is 6.5” and 802 is 8” speaker.

PSA615-CFM-RVC-P

Type of audio connection described above

Option of remote volume control.

For PSA models only, option of a companion speaker.

PSA615 Series

Self amplified coaxial ceiling speaker assemblies (Priced in single units and sets)

Driver model: CX602, 6.5" Coaxial Loudspeaker

All packages include – Grilles, Tile Bridges, Power Supplies, etc.

Please go to amkspeakers.com to custom build your self amplified speakers.

The custom build site will guide you to right product with the part number.



Model	Description	Audio connection	Power Type	List Price	MAP
PSA615-CFM	Single, powered speaker	(1) 3.81mm three position phoenix type connector for balanced signal	B	\$584	\$438
PSA615-CFM-P	w/ companion speaker (2 spkr set)			\$871	\$653
PSA615-CFM-RVC	w/ remote volume control			\$695	\$521
PSA615-CFM-RVC-P	w/ companion speaker (2 spkr set)			\$986	\$739
PSA615-CFM-2	Single, powered speaker	(2) 3.81mm three position phoenix type connectors for balanced signal	B	\$632	\$475
PSA615-CFM-2-P	w/ companion speaker (2 spkr set)			\$923	\$693
PSA615-CFM-2-RVC	w/ remote volume control			\$764	\$573
PSA615-CFM-2-RVC-P	w/ companion speaker (2 spkr set)			\$1,056	\$793
PSA615-CFM-3	Single, powered speaker	(3) 3.81mm three position phoenix type connectors for balanced signal	B	\$685	\$514
PSA615-CFM-3-P	w/ companion speaker (2 spkr set)			\$800	\$600
PSA615-CFM-3-RVC	w/ remote volume control			\$800	\$600
PSA615-CFM-3-RVC-P	w/ companion speaker (2 spkr set)			\$1,087	\$815
PSA615-CFM-4	Single, powered speaker	(4) 3.81mm three position phoenix type connectors for balanced signal	B	\$735	\$551
PSA615-CFM-4-P	w/ companion speaker (2 spkr set)			\$1,022	\$767
PSA615-CFM-4-RVC	w/ remote volume control			\$850	\$638
PSA615-CFM-4-RVC-P	w/ companion speaker (2 spkr set)			\$1,139	\$854
PSA615-CFS	Single, powered speaker	3.81mm four position phoenix type connector for stereo to mono unbalanced signals	B	\$574	\$430
PSA615-CFS-P	w/ companion speaker (2 spkr set)			\$859	\$644
PSA615-CFS-RVC	w/ remote volume control			\$659	\$494
PSA615-CFS-RVC-P	w/ companion speaker (2 spkr set)			\$945	\$709
PSA615-JFM	Single, powered speaker	(1) 3.81mm three position phoenix type connector for balanced signal	A	\$600	\$450
PSA615-JFM-P	w/ companion speaker (2 spkr set)			\$885	\$664
PSA615-JFM-RVC	w/ remote volume control			\$717	\$538
PSA615-JFM-RVC-P	w/ companion speaker (2 spkr set)			\$1,000	\$750
PSA615-JFM-2	Single, powered speaker	(2) 3.81mm three position phoenix type connectors for balanced signal	A	\$652	\$490
PSA615-JFM-2-P	w/ companion speaker (2 spkr set)			\$939	\$705
PSA615-JFM-2-RVC	w/ remote volume control			\$766	\$575
PSA615-JFM-2-RVC-P	w/ companion speaker (2 spkr set)			\$1,052	\$790
PSA615-JFM-3	Single, powered speaker	(3) 3.81mm three position phoenix type connectors for balanced signal	A	\$703	\$527
PSA615-JFM-3-P	w/ companion speaker (2 spkr set)			\$990	\$742
PSA615-JFM-3-RVC	w/ remote volume control			\$820	\$615
PSA615-JFM-3-RVC-P	w/ companion speaker (2 spkr set)			\$1,103	\$827
PSA615-JFM-4	Single, powered speaker	(4) 3.81mm three position phoenix type connectors for balanced signal	A	\$753	\$566
PSA615-JFM-4-P	w/ companion speaker (2 spkr set)			\$1,038	\$779
PSA615-JFM-4-RVC	w/ remote volume control			\$869	\$651
PSA615-JFM-4-RVC-P	w/ companion speaker (2 spkr set)			\$1,153	\$866

***Power Types:**

A: External 12V 1.5A desktop power supply with 2.5mm N Jack.

B: External 24V 1.0A screw mount wall wart power supply with 3.81mm two position phoenix connector.

You have an option to purchase the speaker without the power supply if you have other power source. Please contact us for this option.

PSA615 Series

Self amplified coaxial ceiling speaker assemblies

(Priced in single units and sets)

Driver model: CX602, 6.5" Coaxial Loudspeaker

All packages include – Grilles, Tile Bridges, Power Supplies, etc.

Please go to amkspeakers.com to custom build your self amplified speakers.

The custom build site will guide you to right product with the part number.



Model	Description	Audio connection	Power Type	List Price	MAP
PSA615-JFS	Single, powered speaker	4 position phoenix type connector for stereo to mono unbalanced signal	A	\$592	\$444
PSA615-JFS-P	w/ companion speaker (2 spkr set)			\$879	\$660
PSA615-JFS-RVC	w/ remote volume control			\$675	\$506
PSA615-JFS-RVC-P	w/ companion speaker (2 spkr set)			\$966	\$724
PSA615-MD	Single, powered speaker	(1) 3.5mm stereo mini-plug jack for stereo to mono unbalanced signal	B	\$584	\$438
PSA615-MD-P	w/ companion speaker (2 spkr set)			\$871	\$653
PSA615-MD-RVC	w/ remote volume control			\$667	\$500
PSA615-MD-RVC-P	w/ companion speaker (2 spkr set)			\$951	\$714
PSA615-MD2	Single, powered speaker	(2) 3.5mm stereo mini-plug jack for stereo to mono unbalanced signal	B	\$594	\$445
PSA615-MD2-P	w/ companion speaker (2 spkr set)			\$881	\$661
PSA615-MD2-RVC	w/ remote volume control			\$681	\$511
PSA615-MD2-RVC-P	w/ companion speaker (2 spkr set)			\$970	\$727
PSA615-MDL	Single, powered speaker	(1) 3.5mm stereo mini-plug jack for stereo to mono unbalanced signal	A	\$600	\$450
PSA615-MDL-P	w/ companion speaker (2 spkr set)			\$885	\$664
PSA615-MDL-RVC	w/ remote volume control			\$685	\$514
PSA615-MDL-RVC-P	w/ companion speaker (2 spkr set)			\$974	\$730
PSA615-MD2L	Single, powered speaker	(2) 3.5mm stereo mini-plug jack for stereo to mono unbalanced signal	A	\$608	\$457
PSA615-MD2L-P	w/ companion speaker (2 spkr set)			\$897	\$673
PSA615-MD2L-RVC	w/ remote volume control			\$691	\$518
PSA615-MD2L-RVC-P	w/ companion speaker (2 spkr set)			\$982	\$736
PSA615-OM	Single, powered speaker	(1) RCA Phono Jack for one unbalanced signal	A	\$592	\$444
PSA615-OM-P	w/ companion speaker (2 spkr set)			\$879	\$660
PSA615-OM-RVC	w/ remote volume control			\$675	\$506
PSA615-OM-RVC-P	w/ companion speaker (2 spkr set)			\$966	\$724
PSA615-RPM	Single, powered speaker	(1) RCA Phono Jack for one unbalanced signal	4	\$574	\$430
PSA615-RPM-P	w/ companion speaker (2 spkr set)			\$859	\$644
PSA615-RPM-RVC	w/ remote volume control			\$659	\$494
PSA615-RPM-RVC-P	w/ companion speaker (2 spkr set)			\$945	\$709
PSA615-RPS	Single, powered speaker	(2) RCA Phono Jacks for one unbalanced signal	B	\$574	\$430
PSA615-RPS-P	w/ companion speaker (2 spkr set)			\$859	\$644
PSA615-RPS-RVC	w/ remote volume control			\$659	\$494
PSA615-RPS-RVC-P	w/ companion speaker (2 spkr set)			\$945	\$709
PSA615-SM	Single, powered speaker	(2) RCA Phono Jacks for one unbalanced signal	A	\$592	\$444
PSA615-SM-P	w/ companion speaker (2 spkr set)			\$879	\$660
PSA615-SM-RVC	w/ remote volume control			\$675	\$506
PSA615-SM-RVC-P	w/ companion speaker (2 spkr set)			\$966	\$724

***Power Types:**

A: External 12V 1.5A desktop power supply with 2.5mm N Jack.

B: External 24V 1.0A screw mount wall wart power supply with 3.81mm two position phoenix connector.

You have an option to purchase the speaker without the power supply if you have other power source. Please contact us for this option.

QSA615 Series

Self amplified quad system speaker assemblies

1 self powered speaker with 3 companion spkrs

(Priced as a package of 4 speakers)

Driver model: CX602, 6.5" Coaxial Loudspeaker

Please go to amkspeakers.com to custom build your self amplified speakers.

The custom build site will guide you to right product with the part number.



Model	Description	Audio connection	Power Type	List Price	MAP
QSA615-CFM	1 Powered spkr w/ 3 companion spkrs	(1) 3 position phoenix type connector for balanced signal	B	\$1,444	\$1,084
QSA615-CFM-RVC	w/ remote volume control			\$1,566	\$1,175
QSA615-CFM-2	1 Powered spkr w/ 3 companion spkrs	(2) 3 position phoenix type connectors for balanced signal	B	\$1,493	\$1,120
QSA615-CFM-2-RVC	w/ remote volume control			\$1,610	\$1,208
QSA615-CFM-3	1 Powered spkr w/ 3 companion spkrs	(3) 3 position phoenix type connectors for balanced signal	B	\$1,545	\$1,159
QSA615-CFM-3-RVC	w/ remote volume control			\$1,662	\$1,247
QSA615-CFM-4	1 Powered spkr w/ 3 companion spkrs	(4) 3 position phoenix type connectors for balanced signal	B	\$1,596	\$1,197
QSA615-CFM-4-RVC	w/ remote volume control			\$1,711	\$1,284
QSA615-CFS	1 Powered spkr w/ 3 companion spkrs	4 position phoenix type connector for stereo to mono unbalanced signal	B	\$1,436	\$1,078
QSA615-CFS-RVC	w/ remote volume control			\$1,517	\$1,138
QSA615-JFM	1 Powered spkr w/ 3 companion spkrs	(1) 3 position phoenix type connector for balanced signal	A	\$1,456	\$1,093
QSA615-JFM-RVC	w/ remote volume control			\$1,576	\$1,182
QSA615-JFM2	1 Powered spkr w/ 3 companion spkrs	(2) 3 position phoenix type connectors for balanced signal	A	\$1,507	\$1,130
QSA615-JFM2-RVC	w/ remote volume control			\$1,628	\$1,221
QSA615-JFM3	1 Powered spkr w/ 3 companion spkrs	(3) 3 position phoenix type connectors for balanced signal	A	\$1,566	\$1,175
QSA615-JFM3-RVC	w/ remote volume control			\$1,677	\$1,257
QSA615-JFM4	1 Powered spkr w/ 3 companion spkrs	(4) 3 position phoenix type connectors for balanced signal	A	\$1,610	\$1,208
QSA615-JFM4-RVC	w/ remote volume control			\$1,725	\$1,294
QSA615-JFS	1 Powered spkr w/ 3 companion spkrs	4 position phoenix type connector for stereo to mono unbalanced signal	A	\$1,450	\$1,088
QSA615-JFS-RVC	w/ remote volume control			\$1,539	\$1,154
QSA615-MD	1 Powered spkr w/ 3 companion spkrs	(1) 3.5mm stereo mini-plug jack for stereo to mono unbalanced signal	B	\$1,444	\$1,084
QSA615-MD-RVC	w/ remote volume control			\$1,527	\$1,145
QSA615-MD2	1 Powered spkr w/ 3 companion spkrs	(2) 3.5mm stereo mini-plug jack for stereo to mono unbalanced signal	B	\$1,452	\$1,090
QSA615-MD2-RVC	w/ remote volume control			\$1,541	\$1,156
QSA615-MDL	1 Powered spkr w/ 3 companion spkrs	(1) 3.5mm stereo mini-plug jack for stereo to mono unbalanced signal	A	\$1,456	\$1,093
QSA615-MDL-RVC	w/ remote volume control			\$1,545	\$1,159
QSA615-MD2L	1 Powered spkr w/ 3 companion spkrs	(2) 3.5mm stereo mini-plug jack for stereo to mono unbalanced signal	A	\$1,471	\$1,103
QSA615-MD2L-RVC	w/ remote volume control			\$1,551	\$1,164
QSA615-OM	1 Powered spkr w/ 3 companion spkrs	(1) RCA Phono Jack for one unbalanced signal	A	\$1,450	\$1,088
QSA615-OM-RVC	w/ remote volume control			\$1,539	\$1,154
QSA615-RPM	1 Powered spkr w/ 3 companion spkrs	(1) RCA Phono Jack for one unbalanced signal	B	\$1,436	\$1,078
QSA615-RPM-RVC	w/ remote volume control			\$1,517	\$1,138
QSA615-RPS	1 Powered spkr w/ 3 companion spkrs	(2) RCA Phono Jacks for one unbalanced signal	B	\$1,436	\$1,078
QSA615-RPS-RVC	w/ remote volume control			\$1,517	\$1,138
QSA615-SM	1 Powered spkr w/ 3 companion spkrs	(2) RCA Phono Jacks for one unbalanced signal	A	\$1,450	\$1,088
QSA615-SM-RVC	w/ remote volume control			\$1,539	\$1,154

***Power Types:**

A: External 12V 1.5A desktop power supply with 2.5mm N Jack.

B: External 24V 1.0A screw mount wall wart power supply with 3.81mm two position phoenix connector.

You have an option to purchase the speaker without the power supply if you have other power source. Please contact us for this option.

PSA802 Series

Self amplified coaxial ceiling speaker assemblies

(Priced in single units and sets)

Driver model: CX802, 8" Coaxial Loudspeaker

All packages include – Grilles, Tile Bridges, Power Supplies, etc.

Please go to amkspeakers.com to custom build your self amplified speakers.

The custom build site will guide you to right product with the part number.



Model	Description	Audio connection	Power Type	List Price	MAP
PSA802-CFM	Single, powered speaker	(1) 3.81mm three position phoenix type connector for balanced signal	B	\$622	\$467
PSA802-CFM-P	w/ companion speaker (2 spkr set)			\$903	\$678
PSA802-CFM-RVC	w/ remote volume control			\$735	\$551
PSA802-CFM-RVC-P	w/ companion speaker (2 spkr set)			\$1,022	\$767
PSA802-CFM-2	Single, powered speaker	(2) 3.81mm three position phoenix type connectors for balanced signal	B	\$667	\$500
PSA802-CFM-2-P	w/ companion speaker (2 spkr set)			\$951	\$714
PSA802-CFM-2-RVC	w/ remote volume control			\$784	\$588
PSA802-CFM-2-RVC-P	w/ companion speaker (2 spkr set)			\$1,073	\$805
PSA802-CFM-3	Single, powered speaker	(3) 3.81mm three position phoenix type connectors for balanced signal	B	\$721	\$541
PSA802-CFM-3-P	w/ companion speaker (2 spkr set)			\$1,004	\$753
PSA802-CFM-3-RVC	w/ remote volume control			\$836	\$627
PSA802-CFM-3-RVC-P	w/ companion speaker (2 spkr set)			\$1,125	\$844
PSA802-CFM-4	Single, powered speaker	(4) 3.81mm three position phoenix type connectors for balanced signal	B	\$770	\$578
PSA802-CFM-4-P	w/ companion speaker (2 spkr set)			\$1,056	\$793
PSA802-CFM-4-RVC	w/ remote volume control			\$885	\$664
PSA802-CFM-4-RVC-P	w/ companion speaker (2 spkr set)			\$1,174	\$881
PSA802-CFS	Single, powered speaker	3.81mm four position phoenix type connector for stereo to mono unbalanced signals	B	\$606	\$455
PSA802-CFS-P	w/ companion speaker (2 spkr set)			\$893	\$670
PSA802-CFS-RVC	w/ remote volume control			\$689	\$517
PSA802-CFS-RVC-P	w/ companion speaker (2 spkr set)			\$978	\$733
PSA802-JFM	Single, powered speaker	(1) 3.81mm three position phoenix type connector for balanced signal	A	\$632	\$475
PSA802-JFM-P	w/ companion speaker (2 spkr set)			\$923	\$693
PSA802-JFM-RVC	w/ remote volume control			\$747	\$561
PSA802-JFM-RVC-P	w/ companion speaker (2 spkr set)			\$1,036	\$778
PSA802-JFM2	Single, powered speaker	(2) 3.81mm three position phoenix type connectors for balanced signal	A	\$685	\$514
PSA802-JFM2-P	w/ companion speaker (2 spkr set)			\$974	\$730
PSA802-JFM2-RVC	w/ remote volume control			\$800	\$600
PSA802-JFM2-RVC-P	w/ companion speaker (2 spkr set)			\$1,087	\$815
PSA802-JFM3	Single, powered speaker	(3) 3.81mm three position phoenix type connectors for balanced signal	A	\$735	\$551
PSA802-JFM3-P	w/ companion speaker (2 spkr set)			\$1,022	\$767
PSA802-JFM3-RVC	w/ remote volume control			\$850	\$638
PSA802-JFM3-RVC-P	w/ companion speaker (2 spkr set)			\$1,139	\$854
PSA802-JFM4	Single, powered speaker	(4) 3.81mm three position phoenix type connectors for balanced signal	A	\$784	\$588
PSA802-JFM4-P	w/ companion speaker (2 spkr set)			\$1,073	\$805
PSA802-JFM4-RVC	w/ remote volume control			\$901	\$676
PSA802-JFM4-RVC-P	w/ companion speaker (2 spkr set)			\$1,192	\$894

***Power Types:**

A: External 12V 1.5A desktop power supply with 2.5mm N Jack.

B: External 24V 1.0A screw mount wall wart power supply with 3.81mm two position phoenix connector.

You have an option to purchase the speaker without the power supply if you have other power source. Please contact us for this option.

PSA802 Series

Self amplified coaxial ceiling speaker assemblies

(Priced in single units and sets)

Driver model: CX802, 8" Coaxial Loudspeaker

All packages include – Grilles, Tile Bridges, Power Supplies, etc.

Please go to amkspeakers.com to custom build your self amplified speakers.

The custom build site will guide you to right product with the part number.



Model	Description	Audio connection	Power Type	List Price	MAP
zSA802-JFS	Single, powered speaker	4 position phoenix type connector for stereo to mono unbalanced signal	B	\$626	\$470
PSA802-JFS-P	w/ companion speaker (2 spkr set)			\$911	\$684
PSA802-JFS-RVC	w/ remote volume control			\$711	\$533
PSA802-JFS-RVC-P	w/ companion speaker (2 spkr set)			\$996	\$747
PSA802-MD	Single, powered speaker	(1) 3.5mm stereo mini-plug jack for stereo to mono unbalanced signal	B	\$622	\$467
PSA802-MD-P	w/ companion speaker (2 spkr set)			\$903	\$678
PSA802-MD-RVC	w/ remote volume control			\$703	\$527
PSA802-MD-RVC-P	w/ companion speaker (2 spkr set)			\$990	\$742
PSA802-MD2	Single, powered speaker	(2) 3.5mm stereo mini-plug jack for stereo to mono unbalanced signal	B	\$628	\$472
PSA802-MD2-P	w/ companion speaker (2 spkr set)			\$913	\$685
PSA802-MD2-RVC	w/ remote volume control			\$715	\$536
PSA802-MD2-RVC-P	w/ companion speaker (2 spkr set)			\$998	\$748
PSA802-MDL	Single, powered speaker	(1) 3.5mm stereo mini-plug jack for stereo to mono unbalanced signal	A	\$632	\$475
PSA802-MDL-P	w/ companion speaker (2 spkr set)			\$923	\$693
PSA802-MDL-RVC	w/ remote volume control			\$721	\$541
PSA802-MDL-RVC-P	w/ companion speaker (2 spkr set)			\$1,004	\$753
PSA802-MD2L	Single, powered speaker	(2) 3.5mm stereo mini-plug jack for stereo to mono unbalanced signal	A	\$640	\$481
PSA802-MD2L-P	w/ companion speaker (2 spkr set)			\$933	\$700
PSA802-MD2L-RVC	w/ remote volume control			\$729	\$547
PSA802-MD2L-RVC-P	w/ companion speaker (2 spkr set)			\$1,012	\$760
PSA802-OM	Single, powered speaker	(1) RCA Phono Jack for one unbalanced signal	A	\$626	\$470
PSA802-OM-P	w/ companion speaker (2 spkr set)			\$911	\$684
PSA802-OM-RVC	w/ remote volume control			\$711	\$533
PSA802-OM-RVC-P	w/ companion speaker (2 spkr set)			\$996	\$747
PSA802-RPM	Single, powered speaker	(1) RCA Phono Jack for one unbalanced signal	B	\$606	\$455
PSA802-RPM-P	w/ companion speaker (2 spkr set)			\$893	\$670
PSA802-RPM-RVC	w/ remote volume control			\$689	\$517
PSA802-RPM-RVC-P	w/ companion speaker (2 spkr set)			\$978	\$733
PSA802-RPS	Single, powered speaker	(2) RCA Phono Jacks for one unbalanced signal	B	\$606	\$455
PSA802-RPS-P	w/ companion speaker (2 spkr set)			\$893	\$670
PSA802-RPS-RVC	w/ remote volume control			\$689	\$517
PSA802-RPS-RVC-P	w/ companion speaker (2 spkr set)			\$978	\$733
PSA802-SM	Single, powered speaker	(2) RCA Phono Jacks for one unbalanced signal	A	\$626	\$470
PSA802-SM-P	w/ companion speaker (2 spkr set)			\$911	\$684
PSA802-SM-RVC	w/ remote volume control			\$711	\$533
PSA802-SM-RVC-P	w/ companion speaker (2 spkr set)			\$996	\$747

***Power Types:**

A: External 12V 1.5A desktop power supply with 2.5mm N Jack.

B: External 24V 1.0A screw mount wall wart power supply with 3.81mm two position phoenix connector.

You have an option to purchase the speaker without the power supply if you have other power source. Please contact us for this option.